






Housing No.	Dimensions												
	A	A ₁	A ₂	H	H ₁	H ₂	J _{max}	J _{min}	J	L	N	N ₁	G
mm													
SNL 505	67	46	80	74	40	19	137	123	130	165	20	15	12
SNL 506-605	77	52	89	89	50	22	157	143	150	185	20	15	12
SNL 507-606	82	52	94	93	50	22	157	143	150	185	20	15	12
SNL 508-607	85	60	97	108	60	25	175	165	170	205	20	15	12
SNL 509	85	60	97	109	60	25	175	165	170	205	20	15	12
SNL 510-608	90	60	102	113	60	25	175	165	170	205	20	15	12
SNL 511-609	95	70	107	128	70	28	215	205	210	255	24	18	16
SNL 512-610	105	70	117	133	70	30	215	205	210	255	24	18	16
SNL 513-611	110	80	122	148	80	30	236	224	230	275	24	18	16
SNL 515-612	115	80	127	154	80	30	238	222	230	280	24	18	16
SNL 516-613	120	90	138	175	95	32	268	252	260	315	28	22	20
SNL 517	125	90	143	183	95	32	268	252	260	320	28	22	20
SNL 518-615	140	100	158	193	100	35	295	285	290	345	28	22	20
SNL 519-616	145	100	163	210	112	35	295	285	290	345	28	22	20
SNL 520-617	160	110	178	218	112	40	326	314	320	380	32	26	24
SNL 522-619	175	120	191	242	125	45	356	344	350	410	32	26	24
SNL 524-620	185	120	199	271	140	45	356	344	350	410	32	26	24
SNL 526	190	130	208	290	150	50	387	373	380	445	35	28	24
SNL 528	205	150	223	302	150	50	427	413	420	500	42	35	30
SNL 530	220	160	241	323	160	60	457	443	450	530	42	35	30
SNL 532	235	160	254	344	170	60	477	463	470	550	42	35	30

Series SNL 500 and SNL 600
Pillow Blocks of cast iron for
bearing with adapter sleeve,
grease or oil lubrication
da 20-35 mm




Shaft Dia. d _a	Housing	Standard Seal Package	Bearing	Adapter Sleeve	Fixing Rings	Housing		End Cover
						Qty.		
mm								kg.
20	SNL 505	TSN 505L	1205 EK	H 205	FRB 5/52	2	1.90	ASNH 505
	SNL 506-605	TSN 605G	1305 EK	H 305	FRB 7.5/62	2	2.20	ASNH 506-605
	SNL 505	TSN 505L	2205 EK	H 305	FRB 3.5/52	2	1.90	ASNH 505
	SNL 506-605	TSN 605G	2305 EK	H 2305	FRB 7.5/62	2	2.20	ASNH 506-605
	SNL 505	TSN 505L	22205 KCAW33	H 305	FRB 3.5/52	2	1.90	ASNH 505
	SNL 505	TSN 505L	C2205 K	H 305E	FRB 3.5/52	2	1.90	ASNH 505
25	SNL 506-605	TSN 506G	1206 EK	H 206	FRB 8/62	2	2.20	ASNH 506-605
	SNL 507-606	TSN 606G	1306 EK	H 306	FRB 7.5/72	2	2.40	ASNH 507-606
	SNL 506-605	TSN 506G	2206 EK	H 306	FRB 6/62	2	2.20	ASNH 506-605
	SNL 507-606	TSN 606G	2306 EK	H 2306	FRB 3.5/72	2	2.40	ASNH 507-606
	SNL 506-605	TSN 506G	22206 KCAW33	H 306	FRB 6/62	2	2.20	ASNH 506-605
	SNL 506-605	TSN 506G	C2206 K	H 306E	FRB 6/62	2	2.20	ASNH 506-605
30	SNL 507-606	TSN 507G	1207 EK	H 207	FRB 8.5/72	2	2.40	ASNH 507-606
	SNL 508-607	TSN 607G	1307 EK	H 307	FRB 9/80	2	3.20	ASNH 508-607
	SNL 507-606	TSN 507G	2207 EK	H 307	FRB 5.5/72	2	2.40	ASNH 507-606
	SNL 508-607	TSN 607G	2307 EK	H 2307	FRB 4/80	2	3.20	ASNH 507-606
	SNL 507-606	TSN 507G	22207 KCAW33	H 307	FRB 5.5/72	2	2.40	ASNH 507-606
	SNL 507-606	TSN 507G	C2207 K	H 307E	FRB 5.5/72	2	2.40	ASNH 507-606
35	SNL 508-607	TSN 508G	1208 EK	H 208	FRB 10.5/80	2	3.20	ASNH 508-607
	SNL 510-608	TSN 608G	1308 EK	H 308	FRB 9/90	2	3.85	ASNH 510-608
	SNL 508-607	TSN 508G	2208 EK	H 308	FRB 8/80	2	3.20	ASNH 508-607
	SNL 510-608	TSN 608G	2308 EK	H 2308	FRB 4/90	2	3.85	ASNH 510-608
	SNL 510-608	TSN 608G	21308 KCAW33	H 308	FRB 9/90	2	3.85	ASNH 510-608
	SNL 508-607	TSN 508G	22208 KCAW33	H 308	FRB 8/80	2	3.20	ASNH 508-607
	SNL 510-608	TSN 608G	22308 KCAW33	H 2308	FRB 4/90	2	3.85	ASNH 510-608
	SNL 508-607	TSN 508G	C2208 K	H 308E	FRB 8/80	2	3.20	ASNH 508-607

Series SNL 500 and SNL 600
Pillow Blocks of cast iron for
bearing with adapter sleeve,
grease or oil lubrication
da 40-50 mm




Shaft Dia. d _a	Housing	Standard Seal Package	Bearing	Adapter Sleeve	Fixing Rings	Housing		End Cover
						Qty.		
mm								kg.
40	SNL 509	TSN 509G	1209 EK	H 209	FRB 5.5/85	2	3.50	ASNH 509
	SNL 511-609	TSN 609G	1309 EK	H 309	FRB 9.5/100	2	5.20	ASNH 511-60
	SNL 509	TSN 509G	2209 EK	H 309	FRB 3.5/85	2	3.50	ASNH 509
	SNL 511-609	TSN 609G	2309 EK	H 309	FRB 4/100	2	5.20	ASNH 511-60
	SNL 511-609	TSN 609G	21309 KCAW33	H 309	FRB 9.5/100	2	5.20	ASNH 511-60
	SNL 509	TSN 509G	22209 KCAW33	H 309	FRB 3.5/85	2	3.50	ASNH 509
	SNL 511-609	TSN 609G	22309 KCAW33	H 2309	FRB 4/100	2	5.20	ASNH 511-60
	SNL 509	TSN 509G	C2209 K	H 309E	FRB 3.5/85	2	3.50	ASNH 509
45	SNL 510-608	TSN 510G	1210 EK	H 210	FRB 10.5/90	2	3.85	ASNH 510-608
	SNL 512-610	TSN 610G	1310 EK	H 310	FRB 10.5/110	2	6.70	ASNH 512-610
	SNL 510-608	TSN 510G	2210 EK	H 310	FRB 9/90	2	3.85	ASNH 510-608
	SNL 512-610	TSN 610G	2310 K	H 2310	FRB 4/110	2	6.70	ASNH 512-610
	SNL 512-610	TSN 610G	21310 KCAW33	H 310	FRB 10.5/110	2	6.70	ASNH 512-610
	SNL 510-608	TSN 510G	22210 KCAW33	H 310	FRB 9/90	2	3.85	ASNH 510-608
	SNL 512-610	TSN 610G	22310 KCAW33	H 2310	FRB 4/110	2	6.70	ASNH 512-610
	SNL 510-608	TSN 510G	C2210 K	H 310E	FRB 9/90	2	3.85	ASNH 510-608
50	SNL 511-609	TSN 511G	1211 EK	H 211	FRB 11.5/100	2	5.20	ASNH 511-609
	SNL 513-611	TSN 611G	1311 EK	H 311	FRB 11/120	2	7.90	ASNH 513-611
	SNL 511-609	TSN 511G	2211 EK	H 311	FRB 9.5/100	2	5.20	ASNH 511-609
	SNL 513-611	TSN 611G	2311 K	H 2311	FRB 4/120	2	7.90	ASNH 513-611
	SNL 513-611	TSN 611G	21311 KCAW33	H 311	FRB 11/120	2	7.90	ASNH 513-611
	SNL 511-609	TSN 511G	22211 KCAW33	H 311	FRB 9.5/100	2	5.20	ASNH 511-609
	SNL 513-611	TSN 611G	22311 KCAW33	H 2311	FRB 4/120	2	7.90	ASNH 513-611
	SNL 511-609	TSN 511G	C2211 K	H 311E	FRB 9.5/100	2	5.20	ASNH 511-609

Series SNL 500 and SNL 600
Pillow Blocks of cast iron for
bearing with adapter sleeve,
grease or oil lubrication
da 55-65 mm




Shaft Dia. d _a	Housing	Standard Seal Package	Bearing	Adapter Sleeve	Fixing Rings	Housing		End Cover
						Qty.		
mm	kg.							
55	SNL 512-610	TSN 512G	1212 EK	H 212	FRB 13/110	2	6.70	ASNH 512-610
	SNL 515-612	TSN 612G	1312 EK	H 312	FRB 12.5/130	2	7.70	ASNH 515-612
	SNL 512-610	TSN 512G	2212 EK	H 312	FRB 10/110	2	6.70	ASNH 512-610
	SNL 515-612	TSN 612G	2312 K	H 2312	FRB 5/130	2	7.70	ASNH 515-612
	SNL 515-612	TSN 612G	21312 KCAW33	H 312	FRB 12.5/130	2	7.70	ASNH 515-612
	SNL 512-610	TSN 512G	22212 KCAW33	H 312	FRB 10/110	2	6.70	ASNH 512-610
	SNL 515-612	TSN 612G	22312 KCAW33	H 2312	FRB 5/130	2	7.70	ASNH 515-612
	SNL 512-610	TSN 512G	C2212 K	H 312E	FRB 10/110	2	6.70	ASNH 512-610
60	SNL 513-611	TSN 513G	1213 EK	H 213	FRB 14/120	2	7.90	ASNH 513-611
	SNL 516-613	TSN 613G	1313 EK	H 313	FRB 12.5/140	2	11.00	ASNH 516-613
	SNL 513-611	TSN 513G	2213 EK	H 313	FRB 10/120	2	7.90	ASNH 513-611
	SNL 516-613	TSN 613G	2313 K	H 2313	FRB 5/140	2	11.00	ASNH 516-613
	SNL 516-613	TSN 613G	21313 KCAW33	H 313	FRB 12.5/140	2	11.00	ASNH 516-613
	SNL 513-611	TSN 513G	22213 KCAW33	H 313	FRB 10/120	2	7.90	ASNH 513-611
	SNL 516-613	TSN 613G	22313 KCAW33	H 2313	FRB 5/140	2	11.00	ASNH 516-613
	SNL 513-611	TSN 513G	C2213 K	H 313E	FRB 10/120	2	7.90	ASNH 513-611
65	SNL 515-612	TSN 515G	1215 K	H 215	FRB 15.5/130	2	7.70	ASNH 515-612
	SNL 518-615	TSN 615G	1315 K	H 315	FRB 14/160	2	14.80	ASNH 518-615
	SNL 515-612	TSN 515G	2215 E	H 315	FRB 12.5/130	2	7.70	ASNH 515-612
	SNL 518-615	TSN 615G	2315 K	H 2315	FRB 5/160	2	14.80	ASNH 518-615
	SNL 518-615	TSN 615G	21315 KCAW33	H 315	FRB 14/160	2	14.80	ASNH 518-615
	SNL 515-612	TSN 515G	22215 KCAW33	H 315	FRB 12.5/130	2	7.70	ASNH 515-612
	SNL 518-615	TSN 615G	22315 KCAW33	H 2315	FRB 5/160	2	14.80	ASNH 518-615
	SNL 515-612	TSN 515G	C2215 K	H 315E	FRB 12.5/130	2	7.70	ASNH 515-612
	SNL 518-615	TSN 615G	C2315 K	H 2315	FRB 5/160	2	14.80	ASNH 518-615

Series SNL 500 and SNL 600
Pillow Blocks of cast iron for
bearing with adapter sleeve,
grease or oil lubrication
(70-80 mm)




Shaft Dia. d _a	Housing	Standard Seal Package	Bearing	Adapter Sleeve	Fixing Rings	Qty.	End Cover
mm							kg.
70	SNL 516-613	TSN 516G	1216 K	H 216	FRB 16/140	2	11.00 ASNH 516-613
	SNL 519-616	TSN 616G	1316 K	H 316	FRB 14.5/170	2	15.50 ASNH 519-616
	SNL 516-613	TSN 516G	2216 EK	H 316	FRB 12.5/140	2	11.00 ASNH 516-613
	SNL 519-616	TSN 616G	2316 K	H 2316	FRB 5/170	2	15.50 ASNH 519-616
	SNL 519-616	TSN 616G	21316 KCAW33	H 316	FRB 14.5/170	2	15.50 ASNH 519-616
	SNL 516-613	TSN 516G	22216 KCAW33	H 316	FRB 12.5/140	2	11.00 ASNH 516-613
	SNL 519-616	TSN 616G	22316 KCAW33	H 2316	FRB 5/170	2	15.50 ASNH 519-616
	SNL 516-613	TSN 516G	C2216 K	H 316E	FRB 12.5/140	2	11.00 ASNH 516-613
	SNL 519-616	TSN 616G	C2316 K	H 2316	FRB 5/170	2	15.50 ASNH 519-616
75	SNL 517	TSN 517G	1217 K	H 217	FRB 16.5/150	2	12.70 ASNH 517
	SNL 520-617	TSN 617G	1317 K	H 317	FRB 14.5/180	2	18.40 ASNH 520-617
	SNL 517	TSN 517G	2217 K	H 317	FRB 12.5/150	2	12.70 ASNH 517
	SNL 520-617	TSN 617G	2317 K	H 2317	FRB 5/180	2	18.40 ASNH 520-617
	SNL 520-617	TSN 617G	21317 KCAW33	H 317	FRB 14.5/180	2	18.40 ASNH 520-617
	SNL 517	TSN 517G	22217 KCAW33	H 317	FRB 12.5/150	2	12.70 ASNH 517
	SNL 520-617	TSN 617G	22317 KCAW33	H 2317	FRB 5/180	2	18.40 ASNH 520-617
	SNL 517	TSN 517G	C2217 K	H 317E	FRB 12.5/150	2	12.70 ASNH 517
	SNL 520-617	TSN 617G	C2317 K	H 2317	FRB 5/180	2	18.40 ASNH 520-617
	SNL 518-615	TSN 518G	1218 K	H 218	FRB 17.5/160	2	14.80 ASNH 518-615
80	SNL 518-615	TSN 518G	2218 K	H 318	FRB 12.5/160	2	14.80 ASNH 518-615
	SNL 518-615	TSN 518G	22218 KCAW33	H 318	FRB 12.5/160	2	14.80 ASNH 518-615
	SNL 518-615	TSN 518G	23218 KCAW33	H 2318	FRB 6.25/160	2	14.80 ASNH 518-615
	SNL 518-615	TSN 518G	C2218 K	H 318E	FRB 12.5/160	2	14.80 ASNH 518-615
	SNL 518-615	TSN 518G	C2218 K	H 318E	FRB 12.5/160	2	14.80 ASNH 518-615

Series SNL 500 and SNL 600
Pillow Blocks of cast iron for
bearing with adapter sleeve,
grease or oil lubrication
(85-110mm)




Shaft Dia. d _a	Housing	Standard Seal Package	Bearing	Adapter Sleeve	Fixing Rings	Qty.	End Cover
mm							kg.
85	SNL 519-616	TSN 519G	1219 K	H 219	FRB 18/170	2	15.50 ASNH 519-616
	SNL 522-619	TSN 619G	1319 K	H 319	FRB 17.5/200	2	24.80 ASNH 522-619
	SNL 519-616	TSN 519G	2219 K	H 319	FRB 12.5/170	2	15.50 ASNH 519-616
	SNL 522-619	TSN 619G	2319 K	H 2319	FRB 6.5/200	2	24.80 ASNH 522-619
	SNL 522-619	TSN 619G	21319 KCAW33	H 2319	FRB 17.5/200	2	24.80 ASNH 522-619
	SNL 519-616	TSN 519G	22219 KCAW33	H 319	FRB 12.5/170	2	15.50 ASNH 519-616
	SNL 522-619	TSN 619G	22319 KCAW33	H 2319	FRB 6.5/200	2	24.80 ASNH 522-619
	SNL 522-619	TSN 619G	22319 KCAW33	H 2319	FRB 6.5/200	2	24.80 ASNH 522-619
90	SNL 520-617	TSN 520G	1220 K	H 220	FRB 18/180	2	18.40 ASNH 520-617
	SNL 524-620	TSN 620G	1320 K	H 320	FRB 19.5/215	2	32.20 ASNH 524-620
	SNL 520-617	TSN 520G	2220 K	H 320	FRB 12/180	2	18.40 ASNH 520-617
	SNL 524-620	TSN 620G	2320 K	H 2320	FRB 6.5/215	2	32.20 ASNH 524-620
	SNL 524-620	TSN 620G	21320 KCAW33	H 320	FRB 19.5/215	2	32.20 ASNH 524-620
	SNL 520-617	TSN 520G	22220 KCAW33	H 320	FRB 12/180	2	18.40 ASNH 520-617
	SNL 524-620	TSN 620G	22320 KCAW33	H 2320	FRB 6.5/215	2	32.20 ASNH 524-620
	SNL 520-617	TSN 520G	23220 KCAW33	H 2320	FRB 4.85/180	2	18.40 ASNH 520-617
	SNL 520-617	TSN 520G	C2220 K	H 320E	FRB 12/180	2	18.40 ASNH 520-617
	SNL 524-620	TSN 620G	C2320 K	H 2320	FRB 6.5/215	2	32.20 ASNH 524-620
	SNL 522-619	TSN 522G	1222K	H 222	FRB 21/200	2	24.80 ASNH 522-619
	SNL 522-619	TSN 522G	2222 K	H 322	FRB 13.5/200	2	24.80 ASNH 522-619
100	SNL 522-619	TSN 522G	22222 KCAW33	H 322	FRB 13.5/200	2	24.80 ASNH 522-619
	SNL 522-619	TSN 522G	23222 KCAW33	H 2322	FRB 5.1/200	2	24.80 ASNH 522-619
	SNL 522-619	TSN 522G	C2222 K	H 322E	FRB 13.5/200	2	24.80 ASNH 522-619
	SNL 522-619	TSN 522G	C2222 K	H 322E	FRB 13.5/200	2	24.80 ASNH 522-619
110	SNL 524-620	TSN 524G	1224 K	H 3124	FRB 22/215	2	32.20 ASNH 524-620
	SNL 524-620	TSN 524G	22224 KCAW33	H 3124	FRB 14/215	2	32.20 ASNH 524-620
	SNL 524-620	TSN 524G	23224 KCAW33	H 2324	FRB 5/215	2	32.20 ASNH 524-620
	SNL 524-620	TSN 524G	C3224 K	H 2324L	FRB 5/215	2	32.20 ASNH 524-620

Series SNL 500 and SNL 600
Pillow Blocks of cast iron for
bearing with adapter sleeve,
grease or oil lubrication
(115-140 mm)



Shaft Dia. da	Housing	Standard Seal Package	Bearing	Adapter Sleeve	Fixing Rings	Qty.	End Cover	
							kg.	
mm								
115	SNL 526	TSN 526G	22226 KCAW33	H 3126	FRB 13/230	2	39.80	ASNH 526
	SNL 526	TSN 526G	23226 KCAW33	H 2326	FRB 5/230	2	39.80	ASNH 526
	SNL 526	TSN 526G	C2226 K	H 3126L	FRB 13/230	2	39.80	ASNH 526
125	SNL 528	TSN 528G	22228 KCAW33	H 3128	FRB 15/250	2	48.80	ASNH 528
	SNL 528	TSN 528G	23228 KCAW33	H 2328	FRB 5/250	2	48.80	ASNH 528
	SNL 528	TSN 528G	C2228 K	H 3128L	FRB 15/250	2	48.80	ASNH 528
135	SNL 530	TSN 530G	22230 KCAW33	H 3130	FRB 16.5/270	2	56.50	ASNH 530
	SNL 530	TSN 530G	23230 KCAW33	H 2330	FRB 5/270	2	56.50	ASNH 530
	SNL 530	TSN 530G	C2230 K	H 3130L	FRB 16.5/270	2	56.50	ASNH 530
140	SNL 532	TSN 532G	22232 KCAW33	H 3132	FRB 17/290	2	63.50	ASNH 532
	SNL 532	TSN 532G	23232 KCAW33	H 2332	FRB 5/290	2	63.50	ASNH 532
	SNL 532	TSN 532G	C3232 K	H 2332L	FRB 5/290	2	63.50	ASNH 532



Housing No.	Dimensions													
	A	A1	A2	H	H1	H2	Jmax	Jmin	J	L	N	N1	G	
mm														
SNL 205	67	46	90	74	40	19	137	123	130	165	20	15	12	
SNL 206-305	77	52	89	89	50	22	157	143	150	185	20	15	12	
SNL 507-606	82	52	94	93	50	22	157	143	150	185	20	15	12	
SNL 207	82	52	96	93	50	22	157	143	150	185	20	15	12	
SNL 208-307	85	60	99	108	60	25	175	165	170	205	20	15	12	
SNL 209	85	60	97	109	60	25	175	165	170	205	20	15	12	
SNL 210	90	60	102	113	60	25	175	165	170	205	20	15	12	
SNL 510-608	90	60	102	113	60	25	175	165	170	205	20	15	12	
SNL 511-609	95	70	107	128	70	28	215	205	210	255	24	18	16	
SNL 211	95	70	107	128	70	28	215	205	210	255	24	18	16	
SNL 212	105	70	117	134	70	30	215	205	210	255	24	18	16	
SNL 512-610	105	70	117	134	70	30	215	205	210	255	24	18	16	
SNL 213	110	80	128	149	80	30	238	222	230	275	24	18	16	
SNL 513-611	110	80	128	149	80	30	238	222	230	275	24	18	16	
SNL 215	115	80	133	155	80	30	238	222	230	280	24	18	16	
SNL 515-612	115	80	127	154	80	30	238	222	230	280	24	18	16	
SNL 516-613	120	90	138	177	95	32	268	252	260	315	28	22	20	
SNL 216	120	90	138	177	95	32	268	252	260	315	28	22	20	
SNL 217	125	90	143	183	95	32	268	252	260	320	28	22	20	
SNL 517	125	90	143	183	95	32	268	252	260	320	28	22	20	
SNL 218	140	100	158	194	100	35	295	285	290	345	28	22	20	
SNL 518-615	140	100	158	194	100	35	295	285	290	345	28	22	20	
SNL 519-616	145	100	163	212	112	35	295	285	290	345	28	22	20	
SNL 520-617	160	110	178	218	112	40	326	314	320	380	32	26	24	
SNL 522-619	175	120	191	242	125	45	356	344	350	410	32	26	24	
SNL 524-620	185	120	199	271	140	45	356	344	350	410	32	26	24	
SNL 526	190	130	208	290	150	50	387	373	380	445	35	28	24	
SNL 528	205	150	223	302	150	50	427	413	420	500	42	35	30	
SNL 530	220	160	241	323	160	60	457	443	450	530	42	35	30	
SNL 532	235	160	254	344	170	60	477	463	470	550	42	35	30	