





ROLLER CODE	dw [MM]	d [MM]	D [MM]	C [MM]	B [MM]	L [MM]	d2 [MM]	H [MM]	Cw [KN]	Cow [KN]	MASS [KG]
SG15	6	5	17	8	5.75	20.46	8.6	1	1.27	0.82	0.008
SG15-10	10	5	17	8	5.75	25.5	8.6	1	1.27	0.82	0.009
SG20	8	6	24	11	7.25	28.62	11.1	1.2	3.4	1.7	0.025
SG25	10	8	30	14	8.5	35.77	13	1.5	3.67	2.28	0.049
SG35	12	12	42	19	12.5	48.93	18	1.5	8.5	5.1	0.136
SG15N	6	5	17	8	5.75	20.46	8.6	0.5	1.27	0.82	0.008
SG20N	8	6	24	11	7.25	28.62	11.1	0.7	3.4	1.7	0.025
SG25N	10	8	30	14	8.5	35.77	13	1	3.67	2.28	0.049
SG35N	12	12	42	19	12.5	48.93	18	1	8.5	5.1	0.136
LFR 50/5-4 N	4	5	16	7	5	18	6.9	0	2.02	0.93	0.008
LFR 50/5-5	5	5	17	7	5	20	6.9	0	2.02	0.93	0.008
LFR 50/5 N	6	5	17	7	5	21	6.9	0	2.02	0.93	0.008
LFR 50/8 N	6	8	24	11	7	28	12.3	0	3.67	2.28	0.025
LFR 50/8-8 N	8	8	24	11	7	29	12.3	0	3.67	2.28	0.025



ROLLER CODE	dw [MM]	d [MM]	D [MM]	C [MM]	B [MM]	A [MM]	rs [MM]	Cw [KN]	Cow [KN]	Fr perm [KN]	MASS [KG]
LFR 30/8 KDD	10	8	26.8	11	13	16.7	0.3	3.67	2.28	1.3	0.031
LFR 30/8 NPP	10	8	26.8	11	13	16.7	0.3	3.67	2.28	1.3	0.031
LFR 50/4 NPP	5	4	13	6	7	8.04	0.2	1.05	0.85	1.15	0.004
LFR 50/5 KDD	6	5	17	7	8	10.5	0.2	1.27	0.82	1.3	0.008
LFR 50/5 NPP	6	5	17	7	8	10.5	0.2	1.27	0.82	1.3	0.008
LFR 50/5-4 KDD	4	5	16	7	8	9	0.2	1.2	0.86	1.3	0.008
LFR 50/5-4 NPP	4	5	16	7	8	9	0.2	1.2	0.86	1.3	0.008
LFR 50/8 KDD	6	8	24	11	11	14	0.3	3.67	2.28	1.3	0.024
LFR 50/8 NPP	6	8	24	11	11	14	0.3	3.67	2.28	1.3	0.024
LFR 50/8-8 KDD	8	8	24	11	11	14.75	0.3	3.67	2.28	1.3	0.024
LFR 50/8-8 NPP	8	8	24	11	11	14.75	0.3	3.67	2.28	1.3	0.024
LFR 5201 KDD	10	12	35	15.9	15.9	20.65	0.3	8.5	5.1	5.1	0.068
LFR 5201 NPP	10	12	35	15.9	15.9	20.65	0.3	8.5	5.1	5.1	0.068
LFR 5201-10.40 KDD	10	12	39.9	18	20	22	0.3	8.9	5	6.7	0.115
LFR 5201-10.40 NPP	10	12	39.9	18	20	22	0.3	8.9	5	6.7	0.115
LFR 5201-12 KDD	12	12	35	15.9	15.9	21.75	0.3	8.4	5	5.1	0.068
LFR 5201-12 NPP	12	12	35	15.9	15.9	21.75	0.3	8.4	5	5.1	0.068
LFR 5201-14 KDD	14	12	39.9	18	20	24	0.3	8.9	5	6.7	0.107
LFR 5201-14 NPP	14	12	39.9	18	20	24	0.3	8.9	5	6.7	0.107
LFR 5204-16 KDD*	16	20	52	20.6	22.6	31.5	0.6	16.8	9.5	12.1	0.195
LFR 5204-16 NPP*	16	20	52	20.6	22.6	31.5	0.6	16.8	9.5	12.1	0.195
LFR 5206-20 KDD*	20	25	72	23.8	25.8	41	0.6	29.5	16.6	20.7	0.435
LFR 5206-20 NPP*	20	25	72	23.8	25.8	41	0.6	29.5	16.6	20.7	0.435



ROLLER CODE	dw [MM]	d [MM]	D [MM]	C [MM]	B [MM]	A [MM]	rs [MM]	Cw [KN]	Cow [KN]	Fr perm [KN]	MASS [KG]
LFR 5206-25 KDD*	25	25	72	23.8	25.8	43.5	0.6	29.2	16.4	23.1	0.425
LFR 5206-25 NPP*	25	25	72	23.8	25.8	43.5	0.6	29.2	16.4	23.1	0.425
LFR 5207-30 KDD*	30	30	80	27	29	51	1	38	20.8	21.4	0.660
LFR 5207-30 NPP*	30	30	80	27	29	51	1	38	20.8	21.4	0.660
LFR 5208-40 KDD*	40	40	98	36	38	62.5	1	54.8	29	55	1.360
LFR 5208-40 NPP*	40	40	98	36	38	62.5	1	54.8	29	55	1.360
LFR 5301 KDD	10	12	42	19	19	24	0.6	13	7.7	7.5	0.130
LFR 5301 NPP	10	12	42	19	19	24	0.6	13	7.7	7.5	0.130
LFR 5301-20 KDD	20	12	42	19	19	28	0.6	13	7.7	7.5	0.125
LFR 5301-20 NPP	20	12	42	19	19	28	0.6	13	7.7	7.5	0.125
LFR 5302 KDD	10	15	47	19	19	26.65	1	16.2	9.2	6.2	0.163
LFR 5302 NPP	10	15	47	19	19	26.65	1	16.2	9.2	6.2	0.163
LFR 5308-50 KDD*	50	40	110	44	46	72.5	1.1	53	39.5	69	1.400
LFR 5308-50 NPP*	50	40	110	44	46	72.5	1.1	53	39.5	69	1.400