





Felt seal, Rubber seal and V-ring seal





Labyrinth seal



Part No.	Shaft size	Dimensions (mm)											Mounting		Bearings	Adapter Sleeves	Fixing Rings	Housing No.	Double Lip Seals	V-ring Seals	Felt Seals	Labyrinth Seals	End cover	Weight (kg)
		A	A1	A2	Ca	Da	H	H1	H2	J	L	N	N1	Bolt										
SNHF 605	20	77	52	89	32	62	89	50	22	150	185	20	15	M12	1305 K	H 305	2 x FR 62-7.5	SNHF 506-605	TSN605G	TSN605A	TSN605C	TS05-605	ASNH506-605	2
															2305 K	H 2305	2 x FR 62-4							
SNHF 606	25	82	52	94	34	72	93	50	22	150	185	20	15	M12	1306 K	H 306	2 x FR 72-7.5	SNHF 507-606	TSN606G	TSN606A	TSN606C	TS06-606	ASNH507-606	2,2
															2306 K	H 2306	2 x FR 72-3.5							
SNHF 607	30	85	60	97	39	80	107	60	25	170	205	20	15	M12	1307 K	H 307	2 x FR 80-9	SNHF 508-607	TSN607G	TSN607A	TSN607C	TS07-607	ASNH508-607	2,9
															2307 K	H 2307	2 x FR 80-4							
SNHF 608	35	90	60	102	41	90	113	60	25	170	205	20	15	M12	1308 K	H 308	2 x FR 90-9	SNHF 510-608	TSN608G	TSN608A	TSN608C	TS08-608	ASNH510-608	3,2
															2308 K	H 2308	2 x FR 90-4							
															21308 K	H 308	2 x FR 90-9							
															22308 K	H 2308	2 x FR 90-4							
SNHF 609	40	95	70	107	44	100	127	70	28	210	255	24	18	M16	1309 K	H 309	2 x FR 100-9.5	SNHF 511-609	TSN609G	TSN609A	TSN609C	TS09-609	ASNH511-609	4,4
															2309 K	H 2309	2 x FR 100-4							
															21309 K	H 309	2 x FR 100-9.5							
															22309 K	H 2309	2 x FR 100-4							
SNHF 610	45	105	70	117	48	110	133	70	30	210	255	24	18	M16	1310 K	H 310	2 x FR 110-10.5	SNHF 512-610	TSN610G	TSN610A	TSN610C	TS10-610	ASNH513-610	5,1
															2310 K	H 2310	2 x FR 110-4							
															21310 K	H 310	2 x FR 110-10.5							
															22310 K	H 2310	2 x FR 110-4							

Felt seal, Rubber seal and V-ring seal





Labyrinth seal




Part No.	Shaft size	Dimensions (mm)											Mounting		Bearings	Adapter Sleeves	Fixing Rings	Housing No.	Double Lip Seals	V-ring Seals	Felt Seals	Labyrinth Seals	End cover	Weight (kg)
		A	A1	A2	Ca	Da	H	H1	H2	J	L	N	N1	Bolt										
SNHF 611	50	110	80	122	51	120	148	80	30	230	275	24	18	M16	1311 K	H 311	2 x FR 120-11	SNHF 513-611	TSN611G	TSN611A	TSN611C	TS11-611	ASNH513-611	5,1
															2311 K	H 2311	2 x FR 120-4							
															21311 K	H 311	2 x FR 120-11							
															22311 K	H 2311	2 x FR 120-4							
SNHF 612	55	115	80	127	56	130	154	80	30	230	280	24	18	M16	1312 K	H 312	2 x FR 130-12.5	SNHF 515-612	TSN612G	TSN612A	TSN612C	TS12-612	ASNH515-612	7
															2312 K	H 2312	2 x FR 130-5							
															21312 K	H 312	2 x FR 130-12.5							
															22312 K	H 2312	2 x FR 130-5							
SNHF 613	60	120	90	138	58	140	175	95	32	260	315	28	22	M20	1313 K	H 313	2 x FR 140-12.5	SNHF 516-613	TSN613G	TSN613A	TSN613C	TS13-613	ASNH516-613	9,5
															2313 K	H 2313	2 x FR 140-5							
															21313 K	H 313	2 x FR 140-12.5							
															22313 K	H 2313	2 x FR 140-5							
SNHF 615	65	140	100	158	65	160	193	100	35	290	345	28	22	M20	1315 K	H 315	2 x FR 160-14	SNHF 518-615	TSN615G	TSN615A	TSN615C	TS15-615	ASNH518-615	12,5
															2315 K	H 2315	2 x FR 160-5							
															21315 K	H 315	2 x FR 160-14							
															22315 K	H 2315	2 x FR 160-5							
SNHF 616	70	145	100	163	68	170	210	112	35	290	345	28	22	M20	1316 K	H 316	2 x FR 170-14.5	SNHF 519-616	TSN616G	TSN616A	TSN 616 C	TS 16-616	ASNH519-616	13,7
															2316 K	H 2316	2 x FR 170-5							
															21316 K	H 316	2 x FR 170-14.5							
															22316 K	H 2316	2 x FR 170-5							

Felt seal, Rubber seal and V-ring seal

Labyrinth seal




Part No.	Shaft size	Dimensions (mm)											Mounting		Bearings	Adapter Sleeves	Fixing Rings	Housing No.	Double Lip Seals	V-ring Seals	Felt Seals	Labyrinth Seals	End cover	Weight (kg)
		A	A1	A2	Ca	Da	H	H1	H2	J	L	N	N1	Bolt										
SNHF 617	75	160	110	178	70	180	215	112	40	320	380	32	26	M24	1317 K	H 317	2 x FR 180-14.5	SNHF 520-617	TSN617G	TSN617A	TSN617C	TS17-617	ASNH520-617	17,6
															2317 K	H 2317	2 x FR 180-5							
															21317 K	H 317	2 x FR 180-14.5							
															22317 K	H 2317	2 x FR 180-5							
SNHF 619	85	175	120	191	80	200	239	125	45	350	410	32	26	M24	1319 K	H 319	2 x FR 200-17.5	SNHF 522-619	TSN619G	TSN619A	TSN619C	TS19-619	ASNH522-619	22
															2319 K	H 2319	2 x FR 200-6.5							
															21319 K	H 319	2 x FR 200-17.5							
															22319 K	H 2319	2 x FR 200-6.5							
SNHF 620	90	185	120	199	86	215	271	140	45	350	410	32	26	M24	1320 K	H 320	2 x FR 215-19.5	SNHF 524-620	TSN620G	TSN620A	TSN620C	TS20-620	ASNH524-620	26,2
															2320 K	H 2320	2 x FR 215-6.5							
															21320 K	H 320	2 x FR 215-19.5							
															22320 K	H 2320	2 x FR 215-6.5							



Housing No.	Q 180° (kN)	Q 150° (kN)	Q 120° (kN)	Q 90° (kN)	Q 55° (kN)
SNHF 208-307	110	85	95	130	215
SNHF 209	115	90	100	140	230
SNHF 210	130	110	120	155	265
SNHF 211	140	115	125	170	275
SNHF 212	150	120	130	180	300
SNHF 213	170	130	150	205	340
SNHF 215	205	160	185	250	410
SNHF 216	215	175	190	260	430
SNHF 217	240	190	205	290	480
SNHF 218	275	215	250	340	550
SNHF 505	80	60	70	95	155
SNHF 506	85	65	80	100	170
SNHF 507-606	95	80	85	115	190
SNHF 508-607	110	85	95	130	215
SNHF 509	115	90	100	140	230
SNHF 510-608	130	110	120	155	265
SNHF 511-609	140	115	125	170	275
SNHF 512-610	150	120	130	180	300
SNHF 513-612	170	130	150	205	340
SNHF 515-613	205	160	185	250	410
SNHF 516-613	215	175	190	260	430
SNHF 517	240	190	205	290	480
SNHF 518-615	275	215	250	340	550
SNHF 519-616	290	230	260	350	580
SNHF 520-617	310	250	280	370	620
SNHF 522-619	340	275	310	410	680
SNHF 524-620	400	320	350	470	790
SNHF 526	450	360	410	540	900
SNHF 528	530	430	470	630	1050
SNHF 530	600	480	540	730	1200
SNHF 532	720	570	640	860	1450

Our SNHF range is also available in ductile cast iron GGG, see the SSNHF series.



Housing No.	Q 180° (kN)	Q 150° (kN)	Q 120° (kN)	Q 90° (kN)	Q 55° (kN)
SSNHF 208-307	220	170	190	260	430
SSNHF 209	230	180	200	280	460
SSNHF 210	260	220	240	310	530
SSNHF 211	280	230	250	340	550
SSNHF 212	300	240	260	360	600
SSNHF 213	340	260	300	410	680
SSNHF 215	410	320	370	500	820
SSNHF 216	430	350	380	520	860
SSNHF 217	480	380	410	580	960
SSNHF 218	550	430	500	680	1100
SSNHF 506	170	130	160	200	340
SSNHF 507-606	190	160	170	230	380
SSNHF 508-607	220	170	190	260	430
SSNHF 509	230	180	200	280	460
SSNHF 510-608	260	220	240	310	530
SSNHF 511-609	280	230	250	340	550
SSNHF 512-610	300	240	260	360	600
SSNHF 513-612	340	260	300	410	680
SSNHF 515-613	410	320	370	500	820
SSNHF 516-613	430	350	380	520	860
SSNHF 517	480	380	410	580	960
SSNHF 518-615	550	430	500	680	1100
SSNHF 519-616	580	460	520	700	1160
SSNHF 520-617	620	500	560	740	1240
SSNHF 522-619	680	550	620	820	1360
SSNHF 524-620	800	640	700	940	1580
SSNHF 526	900	720	820	1080	1800
SSNHF 528	1060	860	940	1260	2100
SSNHF 530	1200	960	1080	1460	2400
SSNHF 532	1440	1140	1280	1720	2900