







SNHF 500 Series - Plummer block housings (SNH/SNL/SNV)

for spherical ball and roller bearings on adapter sleeves, options for different sealing types, cast iron GG 20, Rp 1/8" grease bore thread.

Felt seal, Rubber seal and V-ring seal



Labyrinth seal



Part No.	Shaft size	Dimensions (mm)											Mounting		Bearings	Adapter Sleeves	Fixing Rings	Housing No.	Double Lip Seals	V-ring Seals	Felt Seals	Labyrinth Seals	End cover	Weight (kg)
		A	A1	A2	Ca	Da	H	H1	H2	J	L	N	N1	Bolt										
SNHF 505	20	67	46	80	25	52	74	40	19	130	165	20	15	M12	1205 K	H 205	2 x FR 52-5	SNHF 505	TSN505G	TSN505A	TSN505C	TS05	ASNH505	1,45
															2205 K	H 305	2 x FR 52-3.5							
															22205 K	H 305	2 x FR 52-3.5							
SNHF 506	25	77	52	89	32	62	89	50	22	150	185	20	15	M12	1206 K	H 206	2 x FR 62-8	SNHF 506-605	TSN506G	TSN506A	TSN506C	TS06	ASNH506-605	2
															2206 K	H 306	2 x FR 62-6							
															22206 K	H 306	2 x FR 62-6							
SNHF 507	30	82	52	94	34	72	93	50	22	150	185	20	15	M12	1207 K	H 207	2 x FR 72-8.5	SNHF 507-606	TSN507G	TSN507A	TSN507C	TS07	ASNH507-606	2,2
															2207 K	H 307	2 x FR 72-5.5							
															22207 K	H 307	2 x FR 72-5.5							
SNHF 508	35	85	60	97	39	80	107	60	25	170	205	20	15	M12	1208 K	H 208	2 x FR 80-10.5	SNHF 508-607	TSN508G	TSN508A	TSN508C	TS08	ASNH508-607	2,9
															2208 K	H 308	2 x FR 80-8							
															22208 K	H 308	2 x FR 80-8							
SNHF 509	40	85	60	97	30	85	109	60	25	170	205	20	15	M12	1209 K	H 209	2 x FR 85-5.5	SNHF 509	TSN509G	TSN509A	TSN509C	TS09	ASNH509	2,9
															2209 K	H 309	2 x FR 85-3.5							
															22209 K	H 309	2 x FR 85-3.5							
SNHF 510	45	90	60	102	41	90	113	60	25	170	205	20	15	M12	1210 K	H 210	2 x FR 90-10.5	SNHF 510-608	TSN510G	TSN510A	TSN510C	TS10	ASNH510-608	3,2
															2210 K	H 310	2 x FR 90-9							
															22210 K	H 310	2 x FR 90-9							




SNHF 500 Series - Plummer block housings (SNH/SNL/SNV)




for spherical ball and roller bearings on adapter sleeves, options for different sealing types, cast iron GG 20, Rp 1/8" grease bore thread.

ООО "ПромБеринг", (812) 333-00-90, info@prombearing.ru





Felt seal, Rubber seal and V-ring seal



Labyrinth seal



Part No.	Dimensions (mm)												Mounting		Bearings	Adapter Sleeves	Fixing Rings	Housing No.	Double Lip Seals	V-ring Seals	Felt Seals	Labyrinth Seals	End cover	Weight (kg)
	Shaft size	A	A1	A2	Ca	Da	H	H1	H2	J	L	N	N1	Bolt										
SNHF 511	50	95	70	107	44	100	127	70	28	210	255	24	18	M16	1211 K	H 211	2 x FR 100-11.5	SNHF 511-609	TSN511G	TSN511A	TSN511C	TS11	ASNH511-609	4,4
															2211 K	H 311	2 x FR 100-9.5							
															22211 K	H 311	2 x FR 100-9.5							
SNHF 512	55	105	70	117	48	110	133	70	30	210	255	24	18	M16	1212 K	H 212	2 x FR 110-13	SNHF 512-610	TSN512G	TSN512A	TSN512C	TS12	ASNH512-610	5,1
															2212 K	H 312	2 x FR 110-10							
															22212 K	H 312	2 x FR 110-10							
SNHF 513	60	110	80	122	51	120	148	80	30	230	275	24	18	M16	1213 K	H 213	2 x FR 120-14	SNHF 513-611	TSN513G	TSN513A	TSN513C	TS13	ASNH 513-611	6,5
															2213 K	H 313	2 x FR 120-10							
															22213 K	H 313	2 x FR 120-10							
SNHF 515	65	115	80	127	56	130	154	80	30	230	280	24	18	M16	1215 K	H 215	2 x FR 130-15.5	SNHF 515-612	TSN515G	TSN515A	TSN515C	TS15	ASNH515-612	7
															2215 K	H 315	2 x FR 130-12.5							
															22215 K	H 315	2 x FR 130-12.5							
SNHF 516	70	120	90	138	58	140	175	95	32	260	315	28	22	M20	1216 K	H 216	2 x FR 140-16	SNHF 516-613	TSN516G	TSN516A	TSN516C	TS16	ASNH516-613	9,5
															2216 K	H 316	2 x FR 140-12.5							
															22216 K	H 316	2 x FR 140-12.5							
SNHF 517	75	125	90	143	61	150	183	95	32	260	320	28	22	M20	1217 K	H 217	2 x FR 150-16.5	SNHF 517	TSN517G	TSN517A	TSN517C	TS17	ASNH517	10
															2217 K	H 317	2 x FR 150-12.5							
															22217 K	H 317	2 x FR 150-12.5							

Felt seal, Rubber seal and V-ring seal

Labyrinth seal


Part No.	Dimensions (mm)												Mounting		Bearings	Adapter Sleeves	Fixing Rings	Housing No.	Double Lip Seals	V-ring Seals	Felt Seals	Labyrinth Seals	End cover	Weight (kg)
	Shaft size	A	A1	A2	Ca	Da	H	H1	H2	J	L	N	N1	Bolt										
SNHF 518	80	140	100	158	65	160	193	100	35	290	345	28	22	M20	1218 K	H 218	2 x FR 160-17.5	SNHF 518-615	TSN518G	TSN518A	TSN518C	TS18	ASNH518-615	12,5
															2218 K	H 318	2 x FR 160-12.5							
															22218 K	H 318	2 x FR 160-12.5							
															23218 K	H 2318	2 x FR 160-6.25							
SNHF 519	85	145	100	163	68	170	210	112	35	290	345	28	22	M20	1219 K	H 219	2 x FR 170-18	SNHF 519-616	TSN519G	TSN519A	TSN519C	TS19	ASNH 519-616	13,7
															2219 K	H 319	2 x FR 170-12.5							
															22219 K	H 319	2 x FR 170-12.5							
SNHF 520	90	160	110	178	70	180	215	112	40	320	380	32	26	M24	1220 K	H 220	2 x FR 180-18	SNHF 520-617	TSN520G	TSN520A	TSN520C	TS20	ASNH520-617	17,6
															2220 K	H 320	2 x FR 180-12							
															22220 K	H 320	2 x FR 180-12							
															23220 K	H 2320	2 x FR 180-4.85							
SNHF 522	100	175	120	191	80	200	239	125	45	350	410	32	26	M24	1222 K	H 222	2 x FR 200-21	SNHF 522-619	TSN522G	TSN522A	TSN522C	TS22	ASNH522-619	22
															2222 K	H 322	2 x FR 200-13.5							
															22222 K	H 322	2 x FR 200-13.5							
															23222 K	H 2322	2 x FR 200-5.1							
SNHF 524	110	185	120	199	86	215	271	140	45	350	410	32	26	M24	1224 K	H 3124	2 x FR 215-22	SNHF 524-620	TSN524G	TSN524A	TSN524C	TS24	ASNH524-620	26,2
															22224 K	H 3124	2 x FR 215-14							
															23224 K	H 2324	2 x FR 215-5							




SNHF 500 Series - Plummer block housings (SNH/SNL/SNV)




for spherical ball and roller bearings on adapter sleeves, options for different sealing types, cast iron GG 20, Rp 1/8" grease bore thread.

ООО "ПромБеринг", (812) 333-00-90, info@prombearing.ru


Felt seal, Rubber seal and V-ring seal



Labyrinth seal




Part No.	Shaft size	Dimensions (mm)											Mounting		Bearings	Adapter Sleeves	Fixing Rings	Housing No.	Double Lip Seals	V-ring Seals	Felt Seals	Labyrinth Seals	End cover	Weight (kg)
		A	A1	A2	Ca	Da	H	H1	H2	J	L	N	N1	Bolt										
SNHF 526	115	190	130	208	90	230	290	150	50	380	445	35	28	M24	22226 K	H 3126	2 x FR 230-13	SNHF 526	TSN526G	TSN526A	TSN526C	TS26	ASNH526	33
															23226 K	H 2326	2 x FR 230-5							
SNHF 528	125	205	150	223	98	250	302	150	50	420	500	42	35	M30	22228 K	H 3128	2 x FR 250-15	SNHF 528	TSN528G	TSN528A	TSN528C	TS28	ASNH528	40
															23228 K	H 2328	2 x FR 250-5							
SNHF 530	135	220	160	241	106	270	323	160	60	450	530	42	35	M30	22230 K	H 3130	2 x FR 270-16.5	SNHF 530	TSN530G	TSN530A	TSN530C	TS30	ASNH530	49
															23230 K	H 2330	2 x FR 270-5							
SNHF 532	140	235	160	254	114	290	344	170	60	470	550	42	35	M30	22232 K	H 3132	2 x FR 290-17	SNHF 532	TSN532G	TSN532A	TSN532C	TS32	ASNH532	55
															23232 K	H 2332	2 x FR 290-5							



Housing No.	Q 180° (kN)	Q 150° (kN)	Q 120° (kN)	Q 90° (kN)	Q 55° (kN)
SNHF 208-307	110	85	95	130	215
SNHF 209	115	90	100	140	230
SNHF 210	130	110	120	155	265
SNHF 211	140	115	125	170	275
SNHF 212	150	120	130	180	300
SNHF 213	170	130	150	205	340
SNHF 215	205	160	185	250	410
SNHF 216	215	175	190	260	430
SNHF 217	240	190	205	290	480
SNHF 218	275	215	250	340	550
SNHF 505	80	60	70	95	155
SNHF 506	85	65	80	100	170
SNHF 507-606	95	80	85	115	190
SNHF 508-607	110	85	95	130	215
SNHF 509	115	90	100	140	230
SNHF 510-608	130	110	120	155	265
SNHF 511-609	140	115	125	170	275
SNHF 512-610	150	120	130	180	300
SNHF 513-612	170	130	150	205	340
SNHF 515-613	205	160	185	250	410
SNHF 516-613	215	175	190	260	430
SNHF 517	240	190	205	290	480
SNHF 518-615	275	215	250	340	550
SNHF 519-616	290	230	260	350	580
SNHF 520-617	310	250	280	370	620
SNHF 522-619	340	275	310	410	680
SNHF 524-620	400	320	350	470	790
SNHF 526	450	360	410	540	900
SNHF 528	530	430	470	630	1050
SNHF 530	600	480	540	730	1200
SNHF 532	720	570	640	860	1450

Our SNHF range is also available in ductile cast iron GGG, see the SSNHF series.



Housing No.	Q 180° (kN)	Q 150° (kN)	Q 120° (kN)	Q 90° (kN)	Q 55° (kN)
SSNHF 208-307	220	170	190	260	430
SSNHF 209	230	180	200	280	460
SSNHF 210	260	220	240	310	530
SSNHF 211	280	230	250	340	550
SSNHF 212	300	240	260	360	600
SSNHF 213	340	260	300	410	680
SSNHF 215	410	320	370	500	820
SSNHF 216	430	350	380	520	860
SSNHF 217	480	380	410	580	960
SSNHF 218	550	430	500	680	1100
SSNHF 506	170	130	160	200	340
SSNHF 507-606	190	160	170	230	380
SSNHF 508-607	220	170	190	260	430
SSNHF 509	230	180	200	280	460
SSNHF 510-608	260	220	240	310	530
SSNHF 511-609	280	230	250	340	550
SSNHF 512-610	300	240	260	360	600
SSNHF 513-612	340	260	300	410	680
SSNHF 515-613	410	320	370	500	820
SSNHF 516-613	430	350	380	520	860
SSNHF 517	480	380	410	580	960
SSNHF 518-615	550	430	500	680	1100
SSNHF 519-616	580	460	520	700	1160
SSNHF 520-617	620	500	560	740	1240
SSNHF 522-619	680	550	620	820	1360
SSNHF 524-620	800	640	700	940	1580
SSNHF 526	900	720	820	1080	1800
SSNHF 528	1060	860	940	1260	2100
SSNHF 530	1200	960	1080	1460	2400
SSNHF 532	1440	1140	1280	1720	2900